Application Form of Buddhist Tzu Chi Medical Foundation "Clinical Research on Jingsi Bencao Decoction"

Application number :

A. Basic information

Dlan	Chinese	淨斯本草飲	濃縮液	夜對長新冠症狀-	腸腦軸失	調之身	心症狀	廢效-隨機隻	雙盲臨床試驗
name	English	Jing Si He psychophysi double-blind	ing Si Herbal Tea Liquid Packet in the treatment of dyspeptic symptoms a psychophysical burden in patients with disorders of long-COVID gut-brain interaction double-blind, randomized, placebo-controlled study						
Pr Inv	rincipal estigator Name	Chen, Chien-Lin	Job title	Director of Gastroenterology	Campus	<u>Huali</u> Chi H	<u>en Tzu</u> ospital	unit or department	Gastroenterology
Plan F	execution period	■One year From Jan	nuary	1, 2012 to Decem	ber 31, 20	012, a to	otal of 1	year.	
This yea case. (C ■ Yes, p and esop □ No. Whethe you nee	 This year, apply to host various research projects (including pre-approval cases) in the hospital, a total of 1 case. (Co-hosted projects will not be counted) Yes, project name: Exploring the relationship between supragastric belching, physical and mental symptoms, and esophageal acid reflux: clinical application of treatment optimization for gastroesophageal reflux disease. No. Whether the project has carried out the following related experiments: [If you tick any of the following items, you need to attach the relevant experiment/research consent documents] 								
□ No. ∎ Huma	n experimen	ts/human spe	cimen	s (including huma	an embryo	os/huma A to	an embry tal of 1 d	onic stem c locument n	ells). nust be attached.
Progra	am Contact	姓名: <u>Cher</u> E-MAIL: <u>h</u>	n, Chie arry.cl	e <u>n-Lin</u> Tel: (pu lchen@msa.hinet.	blic) <u>(03)</u> net	856182	5#13224	_ (mobile)) <u>0988-282055</u>
Signation of the plan (p	ure and seal host of the total lease sign in erson)			, Date	:Y	/ear	Mont	thDε	ıy
Signate of the the pro- sign	ure and seal co-host of pject (please in person)			, Date	:Y	/ear	Mont	thDε	ıy
Signate of the the pro- sign	ure and seal co-host of bject (please in person)			, Date	:Y	/ear	Mont	:hDa	ıy
Signate of the the pro- sign	ure and seal co-host of oject (please			, Date	:Y	/ear	Mont	thDa	ly
	in person)								

Version date: <mark>(Vers</mark>	ion 3, 11/10/2022)				
sign in person)					
Signature and seal					
of the co-host of		, Date [.]	Vear	Month	Dav
the project (please		Dute	10u1		Duy
sign in person)					
Signature and seal					
of the co-host of		, Date [.]	Year	Month	Dav
the project (please			10un		
sign in person)					
Signature and seal					
of the co-host of		, Date [.]	Year	Month	Dav
the project (please			10un		Duy
sign in person)					
Signature and seal					
of the co-host of		, Date:	Year	Month	Dav
the project (please					
sign in person)					
Dean's signature		_			_
(personal signature		, Date:	Year	Month	Day
or seal)					

Remarks: If there are more than one co-hosts of the plan, please add the column by yourself to facilitate signature

B. Personnel participating in the plan

Category (moderator, co-host, co-host, researcher, etc.)	Name	Current position	The specific nature, project and scope of work undertaken in this research project
Moderator	Chen, Chien-Lin	Director of Gastroenterology	Project progress supervision, research conduct and research plan formulation, data analysis analysis and report writing.
Co-host	Wong, Ming-Wun	Attending Physician of Gastroenterology	Actual case acceptance, case processing, and data collation in the plan.
Co-host	Liu, Tso-Tsai	Director of Endoscopy Department	Actual case acceptance, case processing, and data collation in the plan.
Co-host	Yi, Chih-Hsun	Attending Physician of Gastroenterology	Actual case acceptance, case processing, and data collation in the plan.
Co-host	Lei, Wei-Yi	Attending Physician of Gastroenterology	Actual case acceptance, case processing, and data collation in the plan.
Co-host	Hung, Jui-Sheng	Attending Physician of Gastroenterology	Actual case acceptance, case processing, and data collation in the plan.
Co-host	Liang, Shu-Wei	Attending Physician of Gastroenterology	Actual case acceptance, case processing, and data collation in the plan.
Co-host	Liu, Chin-Hung	Associate Professor	Specimen analysis, data analysis and statistics in the plan.
Co-host	Chen, Chun-Yao	Assistant professor	Specimen analysis, data analysis and statistics in the plan.

 Version date : (Version 3, 11/10/2022)

 Research assistant
 Jian, Yu-Xhuan

 Research assistant
 Organize data, data analysis and statistics and handle administrative affairs.

%If there are not enough fields, please copy by yourself.

C. Implementation of other research projects

In the past three years, the project host, co-hosts, and other research team members must fill in the details of the implementation of the research plan.

Category (moderator, co-host, co-host, researcher, etc.)	Name	Project name	Jobs within the plan	from year to month	Grant agencies
Host	Chen, Chien-Lin	To explore the pathophysiological effects of esophageal contraction, mucosal integrity and acid sensitivity on gastroesophageal reflux disease and the basis for treatment strategies	Host	2020/8/1~ 2023/07/31	Ministry of Science and Technology
Host	Chen, Chien-Lin	Efficacy of Jingsi Bencao Decoction on physical and mental symptoms of functional dyspepsia-a randomized double-blind clinical trial	Host	2022/1/1~ 2022/12/31	Tzu Chi Medical Corporation
Host	Chen, Chien-Lin	Discuss the pathophysiological mechanism of gastroesophageal reflux disease and establish the basis for accurate diagnosis and treatment based on esophageal reflux clearance ability, mucosal integrity and physical and mental characteristics	Host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Host	Chen, Chien-Lin	Discussion on the Pathophysiological Mechanism of Laryngopharyngeal Reflux Disease: Clinical Application of Artificial Intelligence Assisted and Accurate Diagnosis and Personalized Treatment Strategies	Co-host	2022/8/1~ 2025/07/31	Ministry of Science and Technology
Host	Chen, Chien-Lin	Discuss the pathophysiological mechanism and treatment strategy of afferent nerve distribution, esophageal peristalsis and drug regulation in gastroesophageal reflux disease	Co-host	2022/8/1~ 2025/07/31	Ministry of Science and Technology
Host	Chen, Chien-Lin	To explore the influence and clinical application of opioid analgesics on the pathophysiological mechanism of esophageal contraction and reflux characteristics	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Host	Chen, Chien-Lin	Analysis of 24-hour esophageal acid-base impedance	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital

Version date:	(Version 3,	11/10/2022)			
		examination-technical			
		performance and clinical			
		application of gastroesophageal			
		reflux disease diagnosis with			
		artificial intelligence of			
		supervised learning			
		Application of high-resolution			
	Chan	impedance pharyngeal function		2022/1/1	Unation Tran
Host	Chion Lin	test and Sydney swallowing	Co-host	$2022/1/1 \approx$	Chi Hospital
	Cillen-Lill	questionnaire in oropharyngeal		2022/12/51	Cill Hospital
		dysphagia and voice disorders			
		Application of artificial			
		intelligence in high-resolution			
Host	Chen,	esophageal function examination	Co host	2022/1/1~	Hualien Tzu
nost	Chien-Lin	- research on unsupervised	Co-nost	2022/12/31	Chi Hospital
		algorithm model based on deep			
		learning			
		To explore the influence of			
		clinical characteristics and			
Host	Chen,	intestinal flora in patients with	Co host	2022/1/1~ 2022/12/31	Hualien Tzu
11050	Chien-Lin	metabolism-related fatty liver	Co-nost		Chi Hospital
		under the regulation of diet and			
		exercise			
		To explore the role of esophageal			
	Chen, Chien-Lin	microbiota in novel impedance		2021/1/1	Huglion Tru
Host		parameters, clinical classification	Host	$2021/1/1\approx$	Chi Hospital
		and hypersensitivity in		2021/12/31	Cill Hospital
		gastroesophageal reflux disease			
		Clinical application of new			
		esophageal impedance basic			
Host	Chen,	value supplemented with risk	Host	2020/1/1~	Hualien Tzu
11050	Chien-Lin	assessment to predict treatment		2020/12/31	Chi Hospital
		response and recurrence of			
		gastroesophageal reflux disease			
		To explore the relationship			
		between esophageal acid			
	Chen.	sensitivity, second-degree		2021/1/1~	Hualien Tzu
Co-host	Chien-Lin	contraction of esophagus and	Co-host	2021/12/31	Chi Hospital
		subtypes of gastroesophageal			••••• • •••
		reflux and the pathogenic			
		mechanism			
		Clinical Application of			
	Chen,	High-resolution Impedance	\mathbf{C} 1 (2021/1/1~	Hualien Tzu
Co-host	Chien-Lin	Pharyngeal Function Examination	Co-host	2021/12/31	Chi Hospital
		in Investigating Pharyngeal			Ĩ
	Cl	Dysphagia and Drug Response		2020/1/1	
Co-host	Chien Lin	improve quality of life?	Co-host	$2020/1/1\sim$ 2020/12/21	Huallen 12u Chi Hospital
	Cillell-Lill	Improve quality of fife?		2020/12/31	
Co host	Chen,	liver treatment with group group	Co host	2020/1/1~	Hualien Tzu
Co-nost	Chien-Lin	nver ueaunent with cross-group	Co-nost	2020/12/31	Chi Hospital
		Cale Discussion of differences in drug			
Co-host	Chen,	therapy in patients with consitive	Co-host	2020/1/1~	Hualien Tzu
0-11051	Chien-Lin	esonhagus and the role of	0-11051	2020/12/31	Chi Hospital
1	1	usophagas and the tote of			1

Version date :	<mark>(Version 3,</mark>	11/10/2022)			
		mucosal afferent innervation in			
		this disease			
		To explore the pathophysiological			
		role of esophageal mucosal			
	Chen,	afferent nerve distribution in	C 1	2020/8/1~	Ministry of
Co-host	Chien-Lin	gastroesophageal reflux disease	Co-host	2022/07/31	Science and
		complicated with esophageal			Technology
		motility dysfunction			
		Improve the diagnosis of			
		laryngopharyngeal reflux disease			
		and establish the indication of		2020/0/1	Ministry of
Co-host	Chen,	hydrogen ion pump blocker by	Co-host	2020/8/1~	Science and
	Chien-Lin	using the average basic mucosal		2022/07/31	Technology
		impedance value of the proximal			05
		esophagus at night			
		Discussion on the			
		Pathophysiological Mechanism of			
		Laryngopharyngeal Reflux		2022/0/1	Ministry of Science and
Host	Wong,	Disease: Clinical Application of	Host	2022/8/1~ 2025/07/31	
	Ming-Wun	Artificial Intelligence Assisted			Technology
		and Accurate Diagnosis and			05
		Personalized Treatment Strategies			
		Analysis of 24-hour esophageal			
	Wong, Ming-Wun	acid-base impedance			
		examination-technical			
**		performance and clinical	TT	2022/1/1~	Hualien Tzu
Host		application of gastroesophageal	Host	2022/12/31	Chi Hospital
		reflux disease diagnosis with			
		artificial intelligence of			
		supervised learning			
		Discuss the pathophysiological			
		mechanism of gastroesophageal			
		reflux disease and establish the		2022/1/1~ 2022/12/31	
**	Wong.	basis for accurate diagnosis and	Co-host		Hualien Tzu
Host	Ming-Wun	treatment based on esophageal			Chi Hospital
	e	reflux clearance ability, mucosal			1
		integrity and physical and mental			
		characteristics			
		To explore the influence and			
		clinical application of opioid			
TT /	Wong,	analgesics on the	C 1	2022/1/1~	Hualien Tzu
Host	Ming-Wun	pathophysiological mechanism of	Co-host	2022/12/31	Chi Hospital
	U	esophageal contraction and reflux			1
		characteristics			
		Application of high-resolution			
		impedance pharyngeal function		0000/1/1	
Host	Wong,	test and Sydney swallowing	Co-host	2022/1/1~	Hualien Izu
	Ming-Wun	questionnaire in oropharyngeal		2022/12/31	Chi Hospital
		dysphagia and voice disorders			
		Application of artificial			
	W 7	intelligence in high-resolution		2022/1/1	
Host	Wong,	esophageal function examination	Co-host	2022/1/1~	Hualien I zu
	Wing-Wun	- research on unsupervised		2022/12/31	Cni Hospital
		algorithm model based on deep			

Version date	(Version 3,	11/10/2022)			-
		learning			
Host	Wong, Ming-Wun	To explore the influence of clinical characteristics and intestinal flora in patients with metabolism-related fatty liver under the regulation of diet and exercise	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Host	Wong, Ming-Wun	Efficacy of Jingsi Bencao Decoction on physical and mental symptoms of functional dyspepsia-a randomized double-blind clinical trial	Co-host	2022/1/1~ 2022/12/31	Tzu Chi Medical Corporation
Host	Wong, Ming-Wun	Improve the diagnosis of laryngopharyngeal reflux disease and establish the indication of hydrogen ion pump blocker by using the average basic mucosal impedance value of the proximal esophagus at night	Host	2020/8/1~ 2022/07/31	Ministry of Science and Technology
Host	Wong, Ming-Wun	To explore the role of esophageal microbiota in novel impedance parameters, clinical classification and hypersensitivity in gastroesophageal reflux disease	Co-host	2021/1/1~ 2021/12/31	Hualien Tzu Chi Hospital
Host	Wong, Ming-Wun	To explore the relationship between esophageal acid sensitivity, second-degree contraction of esophagus and subtypes of gastroesophageal reflux and the pathogenic mechanism	Co-host	2021/1/1~ 2021/12/31	Hualien Tzu Chi Hospital
Host	Wong, Ming-Wun	Clinical Application of High-resolution Impedance Pharyngeal Function Examination in Investigating Pharyngeal Dysphagia and Drug Response	Co-host	2021/1/1~ 2021/12/31	Hualien Tzu Chi Hospital
Host	Wong, Ming-Wun	To explore the pathophysiological effects of esophageal contraction, mucosal integrity and acid sensitivity on gastroesophageal reflux disease and the basis for treatment strategies	Co-host	2020/8/1~ 2023/07/31	Ministry of Science and Technology
Host	Wong, Ming-Wun	Can a cure for hepatitis C improve quality of life?	Co-host	2020/1/1~ 2020/12/31	Hualien Tzu Chi Hospital
Host	Wong, Ming-Wun	Improving the quality of fatty liver treatment with cross-group care	Co-host	2020/1/1~ 2020/12/31	Hualien Tzu Chi Hospital
Host	Wong, Ming-Wun	Clinical application of new esophageal impedance basic value supplemented with risk assessment to predict treatment response and recurrence of gastroesophageal reflux disease	Co-host	2020/1/1~ 2020/12/31	Hualien Tzu Chi Hospital

Version date	Version 3,	11/10/2022)			
Host	Wong, Ming-Wun	Discussion of differences in drug therapy in patients with sensitive esophagus and the role of mucosal afferent innervation in this disease	Co-host	2020/1/1~ 2020/12/31	Hualien Tzu Chi Hospital
Co-host	Yi, Chih-Hsun	Exploring the relationship between esophageal contraction, esophageal mucosal integrity and esophageal mucosal afferent nerves: the mechanism of influence on esophageal dysfunction and gastroesophageal reflux	Co-host	2017/8/1~ 2020/07/31	Ministry of Science and Technology
Co-host	Liu, Tso-Tsai	To explore the influence of clinical characteristics and intestinal flora in patients with metabolism-related fatty liver under the regulation of diet and exercise	Host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liu, Tso-Tsai	Discuss the pathophysiological mechanism of gastroesophageal reflux disease and establish the basis for accurate diagnosis and treatment based on esophageal reflux clearance ability, mucosal integrity and physical and mental characteristics	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liu, Tso-Tsai	To explore the influence and clinical application of opioid analgesics on the pathophysiological mechanism of esophageal contraction and reflux characteristics	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liu, Tso-Tsai	Application of high-resolution impedance pharyngeal function test and Sydney swallowing questionnaire in oropharyngeal dysphagia and voice disorders	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liu, Tso-Tsai	Analysis of 24-hour esophageal acid-base impedance examination-technical performance and clinical application of gastroesophageal reflux disease diagnosis with artificial intelligence of supervised learning	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liu, Tso-Tsai	Application of artificial intelligence in high-resolution esophageal function examination - research on unsupervised algorithm model based on deep learning	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liu, Tso-Tsai	Efficacy of Jingsi Bencao Decoction on physical and mental	Co-host	2022/1/1~ 2022/12/31	Tzu Chi Medical

Version date	<mark>(Version 3,</mark>	11/10/2022)			-
		symptoms of functional			Corporation
		dyspepsia-a randomized			
		double-blind clinical trial			
		To explore the role of esophageal			
	.	microbiota in novel impedance		0001/1/1	
Co-host	Liu,	parameters, clinical classification	Co-host	2021/1/1~	Hualien Tzu
00 1000	Tso-Tsai	and hypersensitivity in	00 11050	2021/12/31	Chi Hospital
		gastroesonhageal reflux disease			
		To explore the relationship			
		between esonbageal acid			
		sonsitivity second degree			
Co host	Liu,	contraction of coorboxic and	Co host	2021/1/1~	Hualien Tzu
CO-most	Tso-Tsai	subtypes of gestroesenbages	CO-most	2021/12/31	Chi Hospital
		subtypes of gastroesophagean			
		reflux and the pathogenic			
		mechanism			
		Clinical Application of			
~ .	Liu.	High-resolution Impedance	~ .	2021/1/1~	Hualien Tzu
Co-host	Tso-Tsai	Pharyngeal Function Examination	Co-host	2021/12/31	Chi Hospital
	100 1001	in Investigating Pharyngeal		_ • _ • _ • _ • _ •	em moop with
		Dysphagia and Drug Response			
	Lin	Improving the quality of fatty		2020/1/1~	Hualien Tzu
Co-host	Tso-Tsai	liver treatment with cross-group	Host	2020/17/1	Chi Hospital
	150 1501	care		2020/12/91	Chi Hospitai
Co-host	Liu,	Can a cure for hepatitis C	Co-host	2020/1/1~	Hualien Tzu
C0-1103t	Tso-Tsai	improve quality of life?	CO-llost	2020/12/31	Chi Hospital
	Liu, Tso-Tsai	Clinical application of new			
		esophageal impedance basic			
Co host		value supplemented with risk	Co host	2020/1/1~	Hualien Tzu
CO-most		assessment to predict treatment	CO-most	2020/12/31	Chi Hospital
		response and recurrence of			
		gastroesophageal reflux disease			
		Discussion of differences in drug			
	т :	therapy in patients with sensitive		2020/1/1~ 2020/12/31	II
Co-host	Llu,	esophagus and the role of	Co-host		Hualien I zu
	Iso-Isai	mucosal afferent innervation in			Chi Hospital
		this disease			
		To explore the pathophysiological			
		effects of esophageal contraction.			
	Liu	mucosal integrity and acid		2020/8/1~	Ministry of
Co-host	Tso-Tsai	sensitivity on gastroesonhageal	Co-host	2023/07/31	Science and
	150 1501	reflux disease and the basis for		2023/07/31	Technology
		treatment strategies			
		Discuss the nathonhysiological			
		mechanism and treatment strategy			
		of afferent nerve distribution		2022/8/1~	Ministry of
Co-host	Lei, Wei-Yi	esophageal peristalsis and drug	Host	2022/0/1	Science and
		regulation in gastroesonhageal		2023/07/31	Technology
		reflux disease			
		To explore the influence and			
		alinical application of opicid			
		analogica or the		2022/1/1	Unation T-
Co-host	Lei, Wei-Yi	analgesies on the	Host	2022/1/1~	Chi Hospital
		pathophysiological mechanism of		2022/12/31	Cin nospital
		esophageal contraction and reflux			
1		cnaracteristics			1

Version date	: <mark>(Version 3,</mark>	<u>11/10/2022)</u>			
		Discuss the pathophysiological			
		mechanism of gastroesophageal			
		reflux disease and establish the			
Co host	Lai Wai Vi	basis for accurate diagnosis and	Co host	2022/1/1~	Hualien Tzu
CO-nost		treatment based on esophageal	CO-most	2022/12/31	Chi Hospital
		reflux clearance ability, mucosal			
		integrity and physical and mental			
		characteristics			
		Application of high-resolution			
		impedance pharyngeal function		2022/1/1~	Hualien Tzu
Co-host	Lei, Wei-Yi	test and Sydney swallowing	Co-host	2022/17/1	Chi Hospital
		questionnaire in oropharyngeal			Chi Hospitai
		dysphagia and voice disorders			
		Application of artificial			
		intelligence in high-resolution			
Co-host	Lei Wei-Yi	esophageal function examination	Co-host	2022/1/1~	Hualien Tzu
00 11050		- research on unsupervised	eo nost	2022/12/31	Chi Hospital
		algorithm model based on deep			
		learning			
		Analysis of 24-hour esophageal			
	Lei, Wei-Yi	acid-base impedance			
		examination-technical			
Co-host		performance and clinical	Co-host	2022/1/1~	Hualien Tzu
		application of gastroesophageal		2022/12/31	Chi Hospital
		reflux disease diagnosis with			
		artificial intelligence of			
		supervised learning			
	Lei, Wei-Yi	To explore the influence of	Co-host		
		integrinal flore in patients with		2022/1/1	Iluation Tru
Co-host		meeting nota in patients with		$2022/1/1\sim$	Chi Hognital
		under the regulation of dist and		2022/12/51	Cill Hospital
		evercise			
		Efficacy of Jingsi Bencao			
		Decoction on physical and mental			Tzu Chi
Co-host	Lei Wei-Vi	symptoms of functional	Co-host	2022/1/1~	Medical
Conost	Lei, wei ii	dyspensia-a randomized	Co nost	2022/12/31	Corporation
		double-blind clinical trial			corportation
		To explore the pathophysiological			
		role of esophageal mucosal			
		afferent nerve distribution in		2020/8/1~	Ministry of
Co-host	Lei, Wei-Yi	gastroesophageal reflux disease	Host	2022/07/31	Science and
		complicated with esophageal		2022/07/01	Technology
		motility dysfunction			
		To explore the role of esophageal			
Co-host		microbiota in novel impedance		2021/1/1	
	Lei, Wei-Yi	parameters, clinical classification	Co-host	2021/1/1~	Hualien Izu
	,	and hypersensitivity in	0-11051	2021/12/31	Chi Hospital
		gastroesophageal reflux disease			
		To explore the relationship			
		between esophageal acid		2021/1/1	I loc line T
Co-host	Lei, Wei-Yi	sensitivity, second-degree	Co-host	2021/1/1~	Huallen I zu
		contraction of esophagus and		2021/12/31	Cni Hospital
		subtypes of gastroesophageal			

Version date	: <mark>(Version 3,</mark>	11/10/2022)			-
		reflux and the pathogenic			
		mechanism			
		Clinical Application of			
		High-resolution Impedance		2021/1/1	Unalian Tru
Co-host	Lei, Wei-Yi	Pharyngeal Function Examination	Co-host	$2021/1/1\sim$ 2021/12/21	Chi Hognital
		in Investigating Pharyngeal		2021/12/31	Chi Hospitai
		Dysphagia and Drug Response			
Calification	I: W: V.	Can a cure for hepatitis C	C. h. t	2020/1/1~	Hualien Tzu
Co-nost	Lei, wei-Yi	improve quality of life?	Co-nost	2020/12/31	Chi Hospital
		Improving the quality of fatty		2020/1/1	
Co-host	Lei, Wei-Yi	liver treatment with cross-group	Co-host	2020/1/1~	Huallen I zu
		care		2020/12/31	Chi Hospitai
		Clinical application of new			
		esophageal impedance basic			
Calast	I.: W.: V.	value supplemented with risk	C. h t	2020/1/1~	Hualien Tzu
Co-nost	Lei, wei-Yi	assessment to predict treatment	Co-nost	2020/12/31	Chi Hospital
		response and recurrence of			
		gastroesophageal reflux disease			
		Discussion of differences in drug			
		therapy in patients with sensitive		2020/1/1-	Hualian Tzu
Co-host	Lei, Wei-Yi	esophagus and the role of	Host	$2020/171^{\circ}$ 2020/12/31	Chi Hospital
		mucosal afferent innervation in		2020/12/51	Cin Hospitai
		this disease			
		To explore the pathophysiological			
		effects of esophageal contraction,			Ministry of
Co-host	Lei Wei-Yi	mucosal integrity and acid	Co-host	2020/8/1~	Science and
00 11050		sensitivity on gastroesophageal	ee noor	2023/07/31	Technology
		reflux disease and the basis for			Teennoregy
		treatment strategies			
		Exploring the relationship			
		between esophageal contraction,			
		esophageal mucosal integrity and		2017/0/1	Ministry of
Co-host	Lei, Wei-Yi	esophageal mucosal afferent	Co-host	2017/8/1~	Science and
	,	nerves: the mechanism of	Co nost	2020/07/31	Technology
		influence on esophageal			
		dysfunction and gastroesophageal			
		reliux			
		Application of high-resolution			
Calcat	Hung,	impedance pharyngeai function	II.a.at	2022/1/1~	Hualien Tzu
Co-nost	Jui-Sheng	cuestiana Sydney Swanowing	nost	2022/12/31	Chi Hospital
	_	duestionnalie in oropharyngear			_
		Discuss the pathophysiological			
		mechanism of gastroesonhageal			
		reflux disease and establish the			
	Hung	basis for accurate diagnosis and		2022/1/1~	Hualien Tzu
Co-host	Jui-Sheng	treatment based on esonbageal	Co-host	2022/17/14	Chi Hospital
	Jui Blieng	reflux clearance ability mucosal		2022/12/51	Cin Hospital
		integrity and physical and mental			
		characteristics			
		To explore the influence and			
	Hung	clinical application of onioid	a 1	2022/1/1~	Hualien Tzu
Co-host	Jui-Sheng	analgesics on the	Co-host	2022/12/31	Chi Hospital
		pathophysiological mechanism of			Primi

Version date:	(Version 3,	11/10/2022)			
		esophageal contraction and reflux			
		characteristics			
		Analysis of 24-hour esophageal			
		acid-base impedance			
		examination-technical			
C. I t	Hung,	performance and clinical	C. h. t	2022/1/1~	Hualien Tzu
Co-nost	Jui-Sheng	application of gastroesophageal	Co-nost	2022/12/31	Chi Hospital
		reflux disease diagnosis with			-
		artificial intelligence of			
		supervised learning			
		Application of artificial			
		intelligence in high-resolution			
Co host	Hung,	esophageal function examination	Co host	2022/1/1~	Hualien Tzu
Co-nost	Jui-Sheng	- research on unsupervised	Co-nost	2022/12/31	Chi Hospital
		algorithm model based on deep			-
		learning			
		To explore the influence of			
		clinical characteristics and			
Co host	Hung,	intestinal flora in patients with	Co host	2022/1/1~	Hualien Tzu Chi Hospital
Co-nost	Jui-Sheng	metabolism-related fatty liver	Co-nost	2022/12/31	
		under the regulation of diet and			
		exercise			
		Efficacy of Jingsi Bencao			
	Hung	Decoction on physical and mental		2022/1/1~	Tzu Chi
Co-host	Jui-Sheng	symptoms of functional	Co-host	$2022/1/1^{\sim}$ 2022/12/31	Medical
		dyspepsia-a randomized		2022/12/31	Corporation
		double-blind clinical trial			
	Hung, Jui-Sheng	Clinical Application of	Host		
		High-resolution Impedance		2021/1/1~	Hualien Tzu
Co-host		Pharyngeal Function Examination		2021/12/31	Chi Hospital
		in Investigating Pharyngeal		2021/12/01	Chi Hospitai
		Dysphagia and Drug Response			
		To explore the role of esophageal			
	Hung	microbiota in novel impedance		2021/1/1~	Hualien Tzu
Co-host	Jui-Sheng	parameters, clinical classification	Co-host	2021/12/31	Chi Hospital
	e en sneng	and hypersensitivity in		_0_1, 1_, 01	em mospium
		gastroesophageal reflux disease			
		To explore the relationship			
		between esophageal acid			
	Hung,	sensitivity, second-degree		2021/1/1~	Hualien Tzu
Co-host	Jui-Sheng	contraction of esophagus and	Co-host	2021/12/31	Chi Hospital
	0	subtypes of gastroesophageal			1
		reflux and the pathogenic			
	TT	mechanism		2020/1/1	
Co-host	Hung,	Can a cure for hepatitis C	Co-host	2020/1/1~	Hualien I zu
	Jui-Sheng	improve quality of life?		2020/12/31	Chi Hospital
C. h. t	Hung,	Improving the quality of fatty	C a la set	2020/1/1~	Hualien Tzu
Co-nost	Jui-Sheng	liver treatment with cross-group	Co-nost	2020/12/31	Chi Hospital
		Clinical curlingting for			· ·
		Clinical application of new			
Cabast	Hung,	voluo supplamentad with rist	Cabast	2020/1/1~	Hualien Tzu
Co-nost	Jui-Sheng	value supplemented with risk	Co-nost	2020/12/31	Chi Hospital
		assessment to predict treatment			_
	1	response and recurrence of		1	

Version date	(Version 3,	11/10/2022)			
		gastroesophageal reflux disease			
Co-host	Hung, Jui-Sheng	Discussion of differences in drug therapy in patients with sensitive esophagus and the role of mucosal afferent innervation in this disease	Co-host	2020/1/1~ 2020/12/31	Hualien Tzu Chi Hospital
Co-host	Hung, Jui-Sheng	Discussion of differences in drug therapy in patients with sensitive esophagus and the role of mucosal afferent innervation in this disease	Co-host	2020/8/1~ 2023/07/31	Ministry of Science and Technology
Co-host	Liang, Shu-Wei	Application of artificial intelligence in high-resolution esophageal function examination - research on unsupervised algorithm model based on deep learning	Host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liang, Shu-Wei	Analysis of 24-hour esophageal acid-base impedance examination-technical performance and clinical application of gastroesophageal reflux disease diagnosis with artificial intelligence of supervised learning	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liang, Shu-Wei	Discuss the pathophysiological mechanism of gastroesophageal reflux disease and establish the basis for accurate diagnosis and treatment based on esophageal reflux clearance ability, mucosal integrity and physical and mental characteristics	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liang, Shu-Wei	To explore the influence and clinical application of opioid analgesics on the pathophysiological mechanism of esophageal contraction and reflux characteristics	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liang, Shu-Wei	To explore the influence of clinical characteristics and intestinal flora in patients with metabolism-related fatty liver under the regulation of diet and exercise	Co-host	2022/1/1~ 2022/12/31	Hualien Tzu Chi Hospital
Co-host	Liang, Shu-Wei	Efficacy of Jingsi Bencao Decoction on physical and mental symptoms of functional dyspepsia-a randomized double-blind clinical trial	Co-host	2022/1/1~ 2022/12/31	Tzu Chi Medical Corporation
Co-host	Liang, Shu-Wei	To explore the role of esophageal microbiota in novel impedance parameters clinical classification	Co-host	2021/1/1~ 2021/12/31	Hualien Tzu Chi Hospital

Version date	(Version 3,	11/10/2022)			
		and hypersensitivity in			
		gastroesophageal reflux disease			
		To explore the relationship			
		between esophageal acid			
	Liana	sensitivity, second-degree		2021/1/1-	Hualian Tzu
Co-host	Shu-Wei	contraction of esophagus and	Co-host	$2021/17/1^{\sim}$ 2021/12/31	Chi Hospital
	Silu- Wei	subtypes of gastroesophageal		2021/12/31	Cin Hospital
		reflux and the pathogenic			
		mechanism			
		Clinical Application of			
	Liana	High-resolution Impedance		2021/1/1~	Hualien Tzu
Co-host	Shu-Wei	Pharyngeal Function Examination	Co-host	2021/17/31	Chi Hospital
	Silu- Wei	in Investigating Pharyngeal		2021/12/31	Cin Hospitai
		Dysphagia and Drug Response			
		Using bee indicators and			
	Lin	geographic information system to		2020/08/01~	Ministry of
Co-host	Chin-Hung	assess pesticide exposure in	Co-host	2022/07/31	Science and
	chini Hung	different crops		2022/07/51	Technology
		MOST109-2314-B-320-002-MY2			
		Exploring the relationship			
	Lin	between cholesterol metabolism		2022/01/01~	
Co-host	Chin-Hung	pathway and drug insensitivity in	Host	2022/01/01	慈濟大學
	enni mung	oral squamous cell carcinoma			
		TCMRC-P-110011			
		Synergistic antitumor effects of			
	. .	statins and SREBP2 inhibitors in		0001/01/01	
Co-host	Liu,	oral squamous cell carcinoma: the	Host	2021/01/01~	慈濟大學
	Chin-Hung	role of the mevalonate pathway		2021/12/31	
		and statin-insensitive features			
		1CMRC-P-109009			
		Molecular mechanisms of statins			
		inhibiting the growth of oral			
	Liu,	squamous cell carcinoma: the role	TT (2019/10/01~	共 本 上 朗
Co-nost	Chin-Hung	of DNA methyltransferases and	Host	2020/09/30	怒濟大学
	- C	the regulation of tumor			
		suppressor gene epigenetics			
		TCMRC-P-108003			
		alinical abaractoristics and			
	Chan	integrinal flore in patients with		2022/1/1	Iluation Tra
Co-host	Chun Vac	metabolism related fatty liver	Co-host	2022/1/1~ 2022/12/21	Chi Hospital
	Ciluit-1a0	under the regulation of dist and		2022/12/31	
		averaise			
1	1	UNUIUISU		1	1

% If there are not enough fields, please copy by yourself.

D. Instructions for Expected Use of Funds(Funding will be included in the review

and scoring items, please do not make up)

- 1. Please provide a detailed description of the purpose and annual amount of each expense (including research labor costs, consumables, etc.), if the column is insufficient, please add it yourself.
- 2. Research manpower expenses shall not be diverted to other business expenses. [Funds for the first year] (Places conv the form yourself and list the estimated funds w

[Funds for the first year] (Please copy the form yourself and list the estimated funds year by year) (New Taiwan dollars)

	:11			tetel united
project name		unit price	quantity	total price
1. Research manpower Full-time	Full-time staff: (the second year of full-time assistant at the bachelor level) The highest rank of personnel is limited to the ninth level of master's degree, and the items included in the work remuneration, labor and health insurance	32,240 2,689 37	13 12 12	419,120 32,268
(Please refer to the regulations in the Medical Special Management Measures for relevant insurance premiums)	employer-borne expenses, labor retirement employer-borne expenses and year-end bonuses are handled in accordance with the regulations of the implementing agency (up to 1.5 months as the upper limit).	1,632 1,998	12 12 12	19,584 23,976
	Subtotal			495,392
	Computer peripheral consumables: printer ribbon, toner cartridge, ink cartridge, printer photosensitive drum/roller, special printing paper, etc.	14,608		14,608
2. Consumables, items and miscellaneous expenses	Miscellaneous: postage and telecommunications fees, printing fees, photocopying paper, photocopying fees, binding fees, stationery fees, poster production fees, computer data statistics fees, computer data analysis fees, paper submission fees, paper publication fees, etc.	10,000		10,000
	Subtotal			24,608
3. Medicine expenses (Jingsi herbal drink concentrate, please fill	Jingsi herbal drink concentrate (2 packs*30 days*150 people) Placebo (2 packs*30 days*150 people)	0 0	9,000 9,000	0 0
in the quantity)	Subtotal			0
4. Subject subsidy	Subject allowance (subsidy)	1,200	150	180,000
	Subtotal			180,000
5. Inspection fee (Please fill in the inspection items and	LC-MS sample processing and analysis, intestinal bacteria analysis	5,000	150	750,000
fees)	Subtotal			750,000
total 1.				1,450,000

E. Summary of the plan in Chinese

Please give an overview of the main points of this project within 500 words, and customize keywords according to the nature of this project, and please write in Chinese.

新冠肺炎患者在痊癒後,約10%患者產生長新冠症狀,長新冠症狀中的腹痛、腹脹、腹瀉及便祕 源自於腸腦軸失調,腸腦軸失調包含功能性消化不良和腸躁症,常規檢查無明顯異常,由於原因不明 但盛行率高,往往對患者的身心健康影響甚鉅。即使腸腦軸失調目前被認為和胃腸道局部發炎和微生 物菌相改變有關,但目前西醫治療療效不佳。有鑑於此,許多研究應用中草藥在功能性消化不良,並 且達到不錯的療效。淨斯本草飲濃縮液為取得衛福部外銷專用許可證之食品,其成分為艾葉、魚針草、 麥門冬、魚腥草、桔梗、甘草、紫蘇葉、菊花等臺灣本土八種能清潤、散寒、宣肺化痰、利濕清熱的 中藥草,在臨床試驗登記立案作為輔助新冠肺炎的治療,目前初步發現亦可改善患者腸胃症狀以及憂 焦慮程度。故本研究採雙盲隨機試驗,以淨斯本草飲濃縮液用於客觀檢查皆正常之長新冠症狀-腸腦軸 失調患者,評估其治療前後之身心症狀以及腸道菌代謝產物之變化。

關鍵詞:長新冠症狀、腸腦軸失調、淨斯本草飲濃縮液、身心症狀

計畫概述:請概述執行本計畫之目的及可能產生對社會、經濟、學術發展等 面向的預期影響性(三百字以內)。

腸腦軸失調(DGBI)包含功能性消化不良和腸躁症為新冠肺炎感染後的腸胃 道問題,也是傳統西醫療效值得改善的疾病,淨斯本草飲濃縮液為東部地區 研發之中草藥食品,期待淨斯本草飲濃縮液在感染新冠肺炎病毒後改善腸胃 道功能以及憂鬱情況的發現能夠用於改善腸腦軸失調(DGBI)之身心症狀。

※此部分內容於獲核定補助後將逕予公開

XIf there are not enough fields, please copy by yourself.

F. Summary of the plan in English

Please provide an overview of the main points of this project within 500 words, and customize keywords according to the nature of this project, and please write in English.

Dyspepsia refers to chronic or recurrent upper gastrointestinal symptoms. According to the Rome IV criteria, functional dyspepsia (FD) symptoms included meal-related fullness, early satiation, epigastric pain or burning which are unexplained after routine investigation. FD causes substantial psychophysical burden because of its unknown etiology and high prevalence. Although FD is currently associated with local inflammation of the gastrointestinal tract and microbiota alteration, current available treatments for FD are of limited effectiveness. In view of this, many studies have applied Chinese herbal medicine in FD and achieved some therapeutic benefit. The Jing Si Herbal Tea Liquid Packet composed of eight native Taiwanese herbs (wormwood, hickory grass, Ophiopogon japonicus, houttuynia cordata, platycodon, licorice, perilla leaves, chrysanthemum) has obtained a special export license from the Ministry of Health and Welfare. The Jing Si Herbal Tea Liquid Packet also has been registered in clinical trials as a complementary treatment for COVID-19. The preliminary data demonstrated that the Jing Si Herbal Tea Liquid Packet may improve gastrointestinal symptoms and anxiety in patients with COVID-19. Therefore, this study aims to investigate the impact of the Jing Si Herbal Tea Liquid Packet on psychophysical burden and metabolites of microbiota in patients with FD through a double-blind randomized manner.

關鍵詞: functional dyspepsia; Jing Si Herbal Tea Liquid Packet; psychophysical burden

G. Background and purpose of the research project

Please describe in detail the background, purpose, importance of this research project and the research situation related to this project at home and abroad,

Comments on important references, etc., please write in Chinese format.

Background

Symptoms of the new crown-gut-brain axis disorder (disorders of gut-brain interaction, DGBI)

COVID-19 is raging all over the world. The novel coronavirus recognizes type 2 angiotensin-converting enzyme and infects various cells in the body, including cells in the gastrointestinal tract. About 12%–20% of patients are infected and develop gastrointestinal symptoms. (1, 2) About 10% of patients with COVID-19 will develop symptoms of COVID-19 after recovery, (3) Abdominal pain, bloating, diarrhea and constipation in symptoms of COVID-19 originate from disorders of gut-brain interaction, DGBI). (4) In the upper gastrointestinal tract (upper abdominal pain, abdominal distension), it is called functional dyspepsia, and in the lower gastrointestinal tract (abdominal pain, diarrhea, constipation), it is called irritable bowel syndrome. (5) In a large-scale survey in the United States (more than 100,000 people), it was found that after the COVID-19 epidemic, the incidence of gut-brain axis disorder (DGBI) increased by 75% compared with before the epidemic. (6) Disorders of the gut-brain axis (DGBI) include functional dyspepsia and irritable bowel disorder. At present, there is no clear pathogenesis and standard treatment. The consensus is to use the Roman diagnostic criteria, evaluate by questionnaire, and exclude other organic diseases. disease to diagnose. (5) The possible mechanisms of gut-brain axis disorder (DGBI) include local inflammation of the gastrointestinal tract, infiltration and activation of allergic cells, mucosal defects, changes in microbial flora, and hypersensitivity of viscera. (7) In terms of the microbial flora of the brain-gut axis, the metabolites of intestinal bacteria are regarded as the key to influence, among which short-chain fatty acids (SCFA) are regarded as good metabolizers As a product, when carbohydrates are fermented, anaerobic bacteria will produce many short-chain fatty acids (SCFA) in the distal small intestine and colon, which are composed of 1-6 carbon atoms, and the main three metabolic compounds are acetic acid (Acetate), Propionate and Butyrate. Short-chain fatty acids (SCFA) have been shown in research to have anti-inflammatory, anti-oxidant, anti-diabetic, anti-cancer and antibacterial effects. When the bacterial phase changes, the concentration of short-chain fatty acids may change accordingly and affect human physiological responses. When the intestinal flora is out of balance, a variety of bad metabolites will be produced: Trimethylamine N-oxide, TMAO (derived from L-Carnitine or Choline), indoxyl sulfate (derived from Tryptophan) and p-cresyl sulfate (derived from Tyrosine), etc. (8)

Changes in the bacterial phase of the new crown symptoms

SARS-CoV-2 infection caused significant changes in the intestinal flora of patients. The number of

potential pathogens in the patient's body increases, and the antibiotic treatment also reduces the beneficial bacteria. ⁹ Hazan et al. (2022) showed reduced gut bacterial diversity in infected individuals, with reduced numbers of Bifidobacterium, Faecalibacterium, and Roseburium. ¹⁰ At six months post-infection, the intestinal bacterial diversity of the patients was still significantly low. ¹¹ In addition to reduced diversity, these symptomatic patients had lower numbers of anti-inflammatory bacteria such as Faecalibacterium prausnitzii, Eubacterium rectale, Bifidobacterium adolescentis, and potential pathogens such as Rothia, Erysipelatoclostridium, Ruminococcus gnavus in the gut three months after infection. , Ruminococcus torques, and Bacteroides dorei are more. ¹² Su et al. (2022) studied the dysbiosis caused by post-acute COVID-19 syndrome and found that there were more potential pathogens such as Erysipelatoclostridium ramosum and Ruminococcus gnavus, and beneficial bacteria Bifidobacterium adolescentis, B. pseudocatenulatum) decreased. ¹³ These evidences show that the intestinal flora has not fully recovered from the imbalance during infection, and is still in a state of low diversity and favorable pathogens, which can continue to cause immune responses in the intestine. Functional dyspepsia is also thought to be caused by increased permeability of the intestinal wall of the small intestine, allowing intestinal microbial metabolites to infiltrate the tissues and activate the immune system. ¹⁴

In both functional dyspepsia and irritable bowel disorder, there is marked dysbiosis in the gut. Bacterial changes in patients with functional dyspepsia include decreased numbers of Bacteroidetes (Prevotellaceae) and increased numbers of Proteobacteria, Firmicutes (Streptococcus and Clostridia) and Bifidobacteria. 15 Bacterial changes in IBD included increased Clostridia (increased Ruminococcus but decreased Faecalibacterium), increased Lactobacillus and Streptococcus within the phylum Firmicutes, increased Bacteroides, and decreased Bifidobacteria. 16 After synthesis, it can be seen that the changes in the gut-brain axis disorder are mainly due to the replacement of Bacteroidetes by Firmicutes, while the changes in the number of Proteobacteria and Bifidobacteria are inconsistent.

Jing Si Herbal Tea Liquid Packet

The ingredients of Jing Si Herbal Tea Liquid Packet are mugwort leaves, houttuynia cordata, Ophiopogon japonicus, Houttuynia cordata, Campanulaceae, licorice, perilla leaves, chrysanthemum and other eight native Taiwanese herbs that can clear away moisture, dispel cold, relieve lungs and resolve phlegm, and clear away dampness and heat. Chinese medicinal herb, current research has found that it can block the combination of the new coronavirus and cells, and can also reduce cell penetration and block the virus from penetrating cells, while targeting wild-type and mutant viruses D614G, B.1.1.7, 501Y.V2 Carrying out animal studies, it was found that Jing Si Herbal Tea Liquid Packet can reduce the ability of 60 to 70% of the virus to infect the upper respiratory tract, lung, heart, and intestine of mice and reduce the expression of FKBP51, a protein related to depression, by 40%. The effect of using Jing Si Herbal Tea Liquid Packet to help reduce the amount of virus and systemic anti-inflammatory effect in patients with COVID-19. (9) In our

ongoing clinical study, for functional dyspepsia (FD) patients, Jing Si Herbal Tea Liquid Packet can improve symptoms in 75% of patients, compared with only 33% of placebo.

Purpose

A double-blind randomized trial was conducted to investigate the improvement of Jingsi Bencao decoction concentrate on the physical and mental symptoms of gut-brain axis disorder (DGBI) and the changes in intestinal flora after COVID-19.

Importance

Gut-brain axis disorders (DGBI), including functional dyspepsia and irritable bowel syndrome, are gastrointestinal problems after COVID-19 infection. They are also diseases that are worthy of improvement in the efficacy of traditional Western medicine. The discovery that Jingsi Bencao Drink Concentrate improves gastrointestinal function and depression after infection with the new coronavirus can be used to improve the physical and mental symptoms of gut-brain axis disorder (DGBI).

%If there are not enough fields, please copy by yourself.

H. Research methods, steps and implementation progress

- 1. Please describe in detail the research methods and reasons used in this project.
- 2. Estimated possible difficulties and solutions.
- 3. If it is a continuous plan, the research progress report or primary data of the previous year should be attached at the same time.
- 4. Please write in Chinese format.

1. Subject acceptance and exclusion conditions

This study is a prospective study, which is expected to last for one year. It is planned to recruit 150 subjects with gut-brain axis disorder (DGBI) three months after being infected with new coronary pneumonia: 75 of them Functional dyspepsia (FD) subjects and 75 irritable bowel syndrome (IBS) subjects.

Subject inclusion conditions (Inclusion criteria)

1. Age between 20-70 years old.

2. Those who meet the definition of functional dyspepsia (FD).

(Functional dyspepsia (FD) is chronic (once a week, lasting at least three months, at least six months before the first symptom) upper gastrointestinal symptoms (any of the following): postprandial abdominal distension, easy to feel full, Epigastric pain or burning sensation in the upper abdomen, and no symptoms of gastrointestinal bleeding or significant weight loss, no abnormality after upper gastrointestinal endoscopy).

3. Those who meet the definition of irritable bowel syndrome (IBS).

(Irritable bowel syndrome (IBS) is chronic (once a week, lasting for at least three months) lower gastrointestinal symptoms: abdominal pain combined with diarrhea or constipation, and no symptoms of gastrointestinal bleeding or significant weight loss, no abnormalities after colonoscopy).

4.Be conscious and willing to sign the subject's consent form.

Subject Exclusions (Exclusion criteria)

1. Abnormal liver and kidney function;

- 2. Abnormal blood tests and thyroid abnormalities;
- 3. Have received surgery on the digestive tract;
- 4. Abnormal upper gastrointestinal endoscopy;
- 5. Abnormal colonoscopy;
- 6. Antibiotics are being used for infectious diseases;
- 7. Pregnant or breastfeeding women;
- 8. Suffering from heart, liver, or kidney failure;
- 9. Physical weakness, allergies, asthenia and cold constitution and chronic diseases.

2. Experimental process

150 subjects with gut-brain axis disorder (DGBI) three months after being infected with new coronary

pneumonia will be recruited in the outpatient department of gastroenterology, including 75 subjects with functional dyspepsia (FD) and 75 subjects with irritable bowel syndrome (IBS)) subjects; gualified subjects will receive blood and feces sampling and complete physical and mental symptom assessment (sleep habits questionnaire, anxiety questionnaire, stress questionnaire, gastrointestinal symptoms questionnaire, and irritable bowel syndrome questionnaire) before treatment, and then according to the double-blind random allocation method, the computer generated garbled characters, and assigned Jing Si Herbal Tea Liquid Packet or placebo according to the coding sequence, and the research assistant gave Jing Si Herbal Tea Liquid Packet or placebo, Host and recipients None of the subjects knew what the content of the assignment was. The experimenters took Jing Si Herbal Tea Liquid Packet or placebo in the first month, and after the end of the month, they received blood and stool tests and complete physical and mental symptom assessment (sleep habits questionnaire, anxiety questionnaire, stress questionnaire), gastrointestinal symptom questionnaire, and irritable bowel syndrome questionnaire), the laboratory will conduct pre- and post-test analysis of LC-MS and intestinal bacteria, and then conduct a cross-test. The original placebo will take Jing Si Herbal Tea Liquid Packet in the second month, previously taking Jing Si Herbal Tea Liquid Packet will take a placebo in the second month, after the end of the second month, do the third complete physical and mental symptom assessment (sleep habits questionnaire, anxiety questionnaire, stress questionnaire, digestive tract Symptom Questionnaire, Irritable Bowel Disorder Questionnaire), the test is completed.

Research flow chart



The questionnaire items included sleep habits questionnaire, anxiety questionnaire, stress questionnaire, gastrointestinal symptoms questionnaire, and irritable bowel syndrome questionnaire. The details of the questionnaire are attached.

4. Collection, preservation, transportation and DNA extraction of feces

Fix the collection box on the toilet lid, discharge fresh feces into the collection box, then screw the lid tightly and place it in a zipper bag within 4 hours or in a -4°C refrigerator within 24-48 hours Sent to the laboratory for sub-packaging, and then refrigerated in a -80°C refrigerator. Thaw when the DNA is extracted, the extraction process includes the following steps sample homogenization, cell lysis, non-DNA material removal and DNA purification.

5.Gut micrtobiota sequencing and community analysis

In this study, 16S rDNA massively parallel sequencing will be used to analyze the composition of gut bacteria. 0.25 g of stool samples were pooled for DNA extraction with the QIAmp PowerFecal Kit (Qiagen, Hilden, Germany). The purified DNA was PCRed with primers for 341F and 805R to amplify the V3-V4 fragments of the 16S rRNA gene, and the barcode was sent to the manufacturer for library building. The Illumina MiSeq platform was used for next-generation pair-end sequencing. Sample 30000 reads. After the sequence obtained by the manufacturer was screened for high-quality fragments by Mothur and Usearch software, the bacterial phase composition and taxonomic status of each sample were calculated. The taxonomic status of each sequence was determined by comparing the Mothur software with the SILVA sequence database. The investigators will use Microbiome Analyst R and other suitable R programming language packages to perform cluster analysis and network analysis of bacterial composition.

6.Stool and Blood LC-MS Analysis

I. Plasma sample collection and preparation :

Whole blood was collected in Vacutainer K2E-EDTA (BD Diagnostics, Franklin Lakes, NJ, USA) blood collection tubes. The collected whole blood samples were then transferred to 15 mL containing Ficoll-paque PLUS medium [whole blood (hall blood)/ Ficoll-paque PLUS medium = 4/3 (volume ratio v/v)] (GE Healthcare Life Sciences, Pittsburgh, PA, USA) and centrifuge (3000 rpm, 30 min) at room temperature. After centrifugation, the plasma (plasma) supernatant that was successfully layered was collected and distributed into sterilized 1.5 mL microcentrifuge tubes (eppendorf), and glacial acetic acid with a concentration of 1 N and a volume of 1% was added.) aqueous solution to prevent the degradation of the analyte in plasma is stored in a freezer at -800C, and the storage period does not exceed 1 year.

II.Previous processing method of Lipophilic Substances :

Thaw the plasma sample at room temperature for 10-20 minutes, then transfer 100 µL of plasma to a new 1.5 mL microcentrifuge tube. Add the internal standard (internal control, 13C-PA) first, then add methanol 3 times the volume of plasma for deproteinization, and let it stand at room temperature for about 15-20 minutes. Then centrifuge the rested microcentrifuge tube (3,000 rpm, 10 min, 4 °C), and transfer the supernatant to the corresponding small glass test tube. Move the glass test tubes to a nitrogen blowing system, dry the samples through a nitrogen flow, and then add 100 µL of chloroform (Chloroform) to each sample for redissolution. A filtration extraction system was set up, and solid phase extraction columns [Solid phase extraction (SPE) columns (Strata-X-C 33 µm polymeric strong cation 60 mg/3 mL, Phenomenex, Torrance, CA, USA)] were used for extraction. Add 1.0-1.5 mL of n-hexane (hexane) solution to the erected column to activate the column, and use a vacuum pump to pump positive pressure for about 20-30 seconds. Replace the glass test tubes that have been filled with n-hexane solution under the filter extraction system, and then add the samples to the activated column in sequence. Add 1.0-1.5 mL of ethyl acetate (ethyl acetate) for vacuum extraction for about 30-45 seconds, and transfer the sample extracted with ethyl acetate to a nitrogen blowing system to dry it. Redissolve the sample with 100 µL of methanol, and finally transfer the reconstituted sample to a liquid chromatography-mass spectrometer (LC-MS) vial equipped with insert, and prepare for analysis on the machine with an injection volume of 30 μ L per needle.

III. Hydrophilic Substances before the processing method :

There are two extraction methods for such compounds, namely traditional methanol extraction (Traditional deproteinized extraction) and SLE column extraction (SLE column extraction). First, place the plasma sample at room temperature to thaw for about 10-20 minutes. After the thawing is complete, take 100 μ L to a new 1.5 mL microcentrifuge tube (two tubes of 100 μ L are required for each sample). Plasma samples were deproteinized by adding methanol at a volume ratio of 3 times or adding an equal volume of 50 mM sodium phosphate dibasic heptahydrate (Sodium phosphate dibasic heptahydrate) and evenly mixed. Set up the SLE column filtration system and sample test tube, put the sample mixed with 50 mM disodium hydrogen phosphate hydrate into the column, turn on the vacuum pump to filter and extract, wait for about 3 minutes, then add 1.2-1.5 mL of acetic acid Ethyl esters are used for dike flushing. In addition, for the methanol deproteinized group, after waiting for about 20 minutes, they were centrifuged (3,000 rpm, 10 min, 4 °C), and then the supernatant was taken out into the corresponding glass test tube. The samples with two different treatment methods were put into the nitrogen blowing system for drying and concentration. For the group undergoing deproteinization, add 300 µL of methanol to redissolve, and filter with MILLEX GP 0.45 µM PVDF filter (Millipore), and discharge the liquid into the LC-MS special sample bottle loaded with insert; For the group extracted by the column, 100 μ L of methanol was added for back-dissolution and reconstitution, and it was put into the LC-MS special sample bottle loaded with insert, ready for analysis on the machine.

d. LC-MS Analysis Conditions (Liquid Chromatography Mass Spectrometer) :

LC-MS condition I: Used to analyze Lipophilic Substances

LC-MS condition II : Used to analyze Hydrophilic Substances Substances)

Table 1. LC-MS analysis conditions:

	LC cond	ditions		
HPLC system	Waters Alliance e2695	Injection volume	30 µL	
	$60.0 \min(I)$		Phenomenex Luna	
Runtime	$18.0 \min(II)$	Column	C18(2)	
	10.0 mm (11)		(250 x 4.6 mm, 5 µm)	
Flow rate	0.6 mL/min (I)	Column temn	35°C (I)	
1100 1440	0.8 mL/min (II)		40°C (I)	
	Condiction I (Lipo	philic Substances)		
Mobile	phase A	Mobile	phase B	
60:40 Acetonitrile:	ldH ₂ O with 9.2 mM	90:10 Isopropanol:Ac	etonitrile with 9.2 mM	
Ammonium acetate (N	H4CH3CO2) (pH 8.85)	Ammonium aceta	ate (NH ₄ CH ₃ CO ₂)	
Time (min)	%A	%B	Curve	
Initial	85	15	6	
8.0	70	30	6	
10.0	52	48	6	
44.0	18	82	6	
46.0	1	99	6	
48.0	1	99	6	
48.4	85	15	6	
60.0	85	15	6	
	Condiction II (Hydro	ophilic Substances)		
Mobile	phase A	Mobile	phase B	
0.1% Formic acid	l in 99.9% ddH2O	0.1% Formic acid	l in 99.9% MeOH	
Time (min)	%A	%B	Curve	
0	95	5	6	
14	30	70	6	
16	30	70	6	
18	50	50	6	
MS conditions				
Detector	Waters ACQUITY QD	Waters ACQUITY QDa (Performance)		
Ionization mode	ESI Negative (I); ESI	Negative and Positive (II	[)	
Capillary voltage	Default (0.8 kV)			
Probe temp	Default (600°C)			
Cone voltage	20V(I); 15V(II)			
Sampling rate	8 Hz			
Full scan	250-600 <i>m/z</i> for Negat	ive (I); 70-600 <i>m/z</i> for N	legative or Positive	
SIR	See Table 2 - "Molecu	lar Ions (m/z)"		

e. Method validation :

Including Limits of detection, LOD and Limits of quantitation, LOQ, Calibration curve, Recovery, accuracy and precision, Intra-assay, accuracy and precision and Inter-assay precision and accuracy of each test substance.

Table 2. LC-MS analysis Standard List:		
	Molecular ion	Ion source
	(m/z)	mode

Lipophilic Substances				
Shart Chain Eattr	Acetate (2:0)	42.0+153 (3NPH)	ESI Negative	
Short Chain Fatty	Propionate (3:0)	57+153 (3NPH)	ESI Negative	
acius (SCFAS)	Butyrate (4:0)	72+153 (3NPH)	ESI Negative	
Long Chain Fatty acids	Palmitic acid, PA (16:0)	255.1	ESI Negative	
	Stearic Acid, SA (18:0)	283.2	ESI Negative	
	Palmitoleic Acid, POA (16:1)	253.2	ESI Negative	
	Oleic Acid, OA (18:1)	281.2	ESI Negative	
Fatty acid esters of	Palmitoleic Acid Ester of 9-Hydroxystearic Acid (9-POHSA)	535.5	ESI Negative	
(FAHFAs)	Oleic Acid Ester of 9-Hydroxystearic Acid (9-OAHSA)	563.5	ESI Negative	
Internal standards				
$[^{13}C_{16}$]- Palmitic acid (IS1)	271.4	ESI Negative	
	Hydrophilic Substances	i i		
	<i>L</i> -Methionine (<i>L</i> -Met)	150.1	ESI Positive	
	S-adenosyl-L-methionine (SAM)	399.0	ESI Positive	
Methionine cycle	S-adenosyl-L-homocysteine (SAH)	385.0	ESI Positive	
	<i>L</i> -Homocysteine (<i>L</i> -Hcy)	136.1	ESI Positive	
	Methylmalonic acid (MMA)	117.1	ESI Negative	
Antioxidants	Ascorbic acid (AA)	174.9	ESI Negative	
Nutrition index	3-Methyl- <i>L</i> -histidine (3-MH)	170.0	ESI Negative	
	<i>L</i> -Carnitine (L-Car)	162.1	ESI Positive	
Fatty acids carrier	Acetyl-L-Carnitine (ALC)	204.0	ESI Positive	
•	Propionyl-L-Carnitine (PLC)	218.0	ESI Positive	
	Trimethylamine N-oxide (TMAO)	76.0	ESI Positive	
Nephrotoxin	Indoxyl Sulfate (InS)	211.9	ESI Negative	
	<i>p</i> -Cresyl sulfate (pCS)	187.0	ESI Negative	
	Internal standards			
d3-L-Met	hionine (d3-L-Met) (IS2)	153.1	ESI Positive	
d9-Trimethylam	nine N-oxide (d9-TMAO) (IS3)	85.0	ESI Positive	

7.Jing Si Herbal Tea Liquid Packet

In this experiment, Jing Si Herbal Tea Liquid Packet was used. Its ingredients are eight kinds of native Taiwan species, such as mugwort leaves, hinoki, Ophiopogon japonicus, Houttuynia cordata, bellflower, licorice, perilla leaves, and chrysanthemum. , Dampness-clearing and heat-clearing herbs, take Jing Si Herbal Tea Liquid Packet 15 ml once a day in the morning and evening.



8.Statistical Analysis

Continuous variables were expressed as mean and standard deviation if they were normally distributed; if they were not normally distributed, they were expressed as median and interquartile range. The treatment effect is presented by the improvement percentage of the sleep habits questionnaire, depression questionnaire, anxiety questionnaire, stress questionnaire, gastrointestinal symptoms questionnaire, and irritable bowel syndrome questionnaire before and after treatment, and the curative effect of Jingsi Bencao Drink Concentrate and placebo is expressed as the chi-square by the improvement percentage Chi-squared test comparison, P value less than 0.05 was considered statistically significant difference, the statistical analysis software used was SPSS 19 for Windows (SPSS, Inc, Chicago, IL, USA).

9. Sample Size Estimation

According to our ongoing research, it is estimated that the efficacy of Jing Si Herbal Tea Liquid Packet for functional dyspepsia (FD) is 75%, while the efficacy of placebo is 33.3%. It is estimated by α -error 0.05; β -error 0.20, at least 100 subjects are required to be admitted, and taking into account that the subjects may withdraw and fail to complete the trial successfully, the estimated number of subjects admitted in this study is 150.

10. Possible difficulties and solutions

Possible difficulties: According to our current research, the effect of placebo on functional dyspepsia (FD) can reach 33.3%, so if the investigators want to prove that Jing Si Herbal Tea Liquid Packet has a positive effect on patients with new coronary pneumonia three months after infection Gut-brain axis dysregulation (DGBI) had to be statistically significantly greater than placebo to have a significant effect.

Solution: This trial adopts a multi-faceted whole-person care model to evaluate the curative effect, not only the symptoms of gut-brain axis disorder (DGBI) three months after being infected with new coronary pneumonia, but also the assessment of physical and mental symptoms, stress, and intestinal flora. Confirm the effect of Jing Si Herbal Tea Liquid Packet on various aspects of gut-brain axis disorder (DGBI).

11. References

- 1. Mao R, Qiu Y, He JS, et al. Manifestations and prognosis of gastrointestinal and liver involvement in 1. Mao R, Qiu Y, He JS, et al. Manifestations and prognosis of gastrointestinal and liver involvement in patients with COVID-19: a systematic review and meta-analysis. Lancet Gastroenterol Hepatol 2020;5:667-678.
- 2. Cheung KS, Hung IFN, Chan PPY, et al. Gastrointestinal Manifestations of SARS-CoV-2 Infection and Virus Load in Fecal Samples From a Hong Kong Cohort: Systematic Review and Meta-analysis. Gastroenterology 2020;159:81-95.
- 3. Golla R, Vuyyuru SK, Kante B, et al. Disorders of gut-brain interaction in post-acute COVID-19 syndrome. Postgrad Med J 2022.
- 4. Schmulson M, Ghoshal UC, Barbara G. Managing the Inevitable Surge of Post-COVID-19 Functional Gastrointestinal Disorders. Am J Gastroenterol 2021;116:4-7.
- 5. Drossman DA. Functional Gastrointestinal Disorders: History, Pathophysiology, Clinical Features and Rome IV. Gastroenterology 2016:1262-1279.
- 6. Aloysius MM, Goyal H, Ali A, et al. S220 Cancer-Specific 5-Year Survival Following Endoscopic Polypectomy versus Surgery for Malignant Colorectal Polyps. 2021;116:S97-S98.
- 7. Margolis KG, Cryan JF, Mayer EA. The Microbiota-Gut-Brain Axis: From Motility to Mood. Gastroenterology 2021;160:1486-1501.
- 8. Fan Y, Pedersen O. Gut microbiota in human metabolic health and disease. Nat Rev Microbiol 2021;19:55-71.
- 9. Zuo T, Wu X, Wen W, et al. Gut Microbiome Alterations in COVID-19. Genomics Proteomics Bioinformatics 2021;19:679-688.
- 10. Hazan S, Stollman N, Bozkurt HS, et al. Lost microbes of COVID-19: Bifidobacterium, Faecalibacterium depletion and decreased microbiome diversity associated with SARS-CoV-2 infection severity. BMJ Open Gastroenterol 2022;9.
- 11. Chen Y, Gu S, Chen Y, et al. Six-month follow-up of gut microbiota richness in patients with COVID-19. Gut 2022;71:222-225.
- 12. Tian Y, Sun KY, Meng TQ, et al. Gut Microbiota May Not Be Fully Restored in Recovered COVID-19 Patients After 3-Month Recovery. Front Nutr 2021;8:638825.
- 13. Su Q, Lau RI, Liu Q, et al. Post-acute COVID-19 syndrome and gut dysbiosis linger beyond 1 year after SARS-CoV-2 clearance. Gut 2022:gutjnl-2022-328319.
- 14. Wauters L, Ceulemans M, Schol J, et al. The Role of Leaky Gut in Functional Dyspepsia. Front Neurosci 2022;16:851012.
- 15. Zhou L, Zeng Y, Zhang H, et al. The Role of Gastrointestinal Microbiota in Functional Dyspepsia: A Review. Front Physiol 2022;13:910568.
- 16. Mazzawi T. Gut Microbiota Manipulation in Irritable Bowel Syndrome. Microorganisms 2022;10.
- 17. Hsieh PC, Chao YC, Tsai KW, et al. Efficacy and Safety of Complementary Therapy With Jing Si Herbal Tea in Patients With Mild-To-Moderate COVID-19: A Prospective Cohort Study. Front Nutr 2022;9:832321.

%If there are not enough fields, please copy by yourself.