

**Intervention for Battered Sheltered Women
With Substance Use Randomized Trial**

NCT #: NCT02629133

December 22, 2017

Statistical Analyses

Statistical Analysis Overview

1. Descriptively characterize the: (a) **feasibility** of the SHE Program, and the (b) **acceptability** via participant report of ease of use, helpfulness, and overall satisfaction.
2. Examine preliminary evidence that relative to control condition, the computer-based intervention (SHE) will result in improvements in our primary outcomes of substance use (heavy drinking or drug using) days over a 6-month postshelter period and in our secondary outcomes of greater use of substance use services (both treatment and self-help utilization) and reduced IPV severity over a 6-month postshelter period. Theorized mediators include readiness to change and self-efficacy for behaviors related to substance use.

Comparison Group Selection

SHE intervention
Control condition

Comments

Assessment of feasibility and acceptability of the intervention and research procedures is the project's primary goal. However, pilot data can be used to demonstrate whether the effects of treatment look promising across a set of outcome variables. We will obtain the between treatment condition effect size estimates at each assessment and the correlation between the same dependent variable at adjacent assessments. A sample of ~20-21 in each condition should provide some information relevant to demonstrating potential promise for the intervention.

Type of Statistical Test [*]

Other (primary analyses focus on feasibility and acceptability)

Comments [*]

Secondary analyses will explore differences between conditions on outcome variables.

Statistical Test of Hypothesis (or Method of Estimation or Other Statistical Analysis required)

We will calculate the effect sizes and 95% confidence intervals for intervention effects on outcomes using hierarchical linear modeling with a tightly constrained covariance structure. However, this is not primarily a hypothesis-testing study.

P-Value [*]

There is no null hypothesis. If we use any p-value, it will be .05.

Comments

None

Method [*]

We will calculate the effect sizes and 95% confidence intervals for intervention effects on outcomes using hierarchical linear modeling with a tightly constrained covariance structure.

Baseline values of each outcome variable will serve as a covariate in analyses. However, primary results are descriptive results of feasibility and acceptability.

Other Method Name [*]

None

Comments

None

Method of Estimation (or Statistical Test of Hypothesis or Other Statistical Analysis required)

NA

Estimation Parameter [*]

NA

Other Parameter Name [*]

NA

Estimated Value [*]

NA

Confidence Interval (If applicable)

95%

Level [*]

NA

Number of Sides [*]

2-sided.

Lower Limit [*]

NA

Upper Limit [*]

NA

NA (Not Available) Explanation [*]

This is not relevant to our analysis

Parameter Dispersion Type

Standard Deviation

- Standard Error of the Mean

Dispersion Value

NA

Estimation Comments

NA

Other Statistical Analysis

NA